

in vivo

International Journal of Experimental and Clinical Pathophysiology and Drug Research

Volume 23, Number 1, January-February 2009

Contents

Experimental Studies

- * Drug Resistance of Human Immunodeficiency Virus and Overcoming it by Natural Products. J. HUPFELD, T. EFFERTH (*Heidelberg, Germany*)..... 1
- MnSOD* Genotype and Prostate Cancer Risk as a Function of *NAT* Genotype and Smoking Status. T. IGUCHI, S. SUGITA, C.Y. WANG, N.B. NEWMAN, T. NAKATANI, G.P. HAAS (*Syracuse, NY, USA; Osaka, Japan*) 7
- In Vivo* Studies on the Availability and Toxicity of Antisense Oligonucleotides in Bladder Cancer. C.E. BLIETZ, B. THODE, M. HAUSES, R. PRIES, A.J. MEYER, C. DOEHN, D. JOCHAM, I. KAUSCH (*Lübeck; Leipzig, Germany*) 13
- In Vitro* and *In Vivo* Immunosuppressive Characteristics of Hepatocyte Growth Factor-modified Murine Mesenchymal Stem Cells. L. BIAN, Z.-K. GUO, H.-X. WANG, J.-S. WANG, H. WANG, Q.-F. LI, Y.-F. YANG, F.-J. XIAO, C.-T. WU, L.-S. WANG (*Beijing, People's Republic of China*) 21
- Potent Bactericidal Action of a Flavonoid Fraction Isolated from the Stem Bark of *Butea frondosa*. U.S. MISHRA, P. CHAKRABORTY, A. DASGUPTA, S.G. DASTIDAR, M. MARTINS, L. AMARAL (*Berhampur, Orissa; Asansol; Kolkata, West Bengal, India; Lisbon, Portugal*) 29
- Apolipoprotein E* Gene Polymorphism and Obesity Status in Middle-aged Men with Coronary Heart Disease. G.D. KOLOVOU, K.K. ANAGNOSTOPOULOU, P. KOSTAKOU, V. GIANNAKOPOULOU, C. MIHAS, G. HATZIGEORGIOU, I.K. VASILADIS, D.P. MIKHAILIDIS, D.V. COKKINOS (*Athens; Kimi, Greece; London, UK*)..... 33
- Antitumor Activity of Alkaloids Derived from *Amaryllidaceae* Species. I. ZUPKÓ, B. RÉTHY, J. HOHMANN, J. MOLNÁR, I. OCSOVSZKI, G. FALKAY (*Szeged, Hungary*) 41
- Correlation Between MCM-3 Protein Expression and Grade of Malignancy in Mammary Adenocarcinomas and Soft Tissue Fibrosarcomas in Dogs. M. NOWAK, J.A. MADEJ, P. DZIEGIEL (*Wroclaw, Poland*) 49

Contents continued on the back cover

Editorial Board

- N. J. AGNANTIS, Ioannina, Greece
D. ANDERSON, Bradford, West Yorkshire, UK
V. BARAK, Jerusalem, Israel
M.H. BARCELLOS-HOFF, Berkeley, CA, USA
Y. BECKER, Jerusalem, Israel
K. BEIER, Basel, Switzerland
S. BEN-EFRAIM, Tel-Aviv, Israel
M. BERGQVIST, Uppsala, Sweden
R. BJERKVIK, Bergen, Norway
B. BODEY, Reseda, CA, USA
D. A. BUTTERFIELD, Lexington, KY, USA
M. CARAGLIA, Naples, Italy
P. CHANDRA, Frankfurt am Main, Germany
J.-G. CHUNG, Taichung, Taiwan, ROC
L. A. COHEN, Valhalla, NY, USA
A. I. CONSTANTINOU, Nicosia, Cyprus
J. G. CORY, Greenville, NC, USA
T. DALIANIS, Stockholm, Sweden
I. DAMJANOV, Kansas City, KS, USA
G. DELICONSTANTINOS, Athens, Greece
D. T. DENHARDT, Piscataway, NJ, USA
W. DEN OTTER, Amsterdam, The Netherlands
K. DE MEIRLEIR, Brussels, Belgium
L. DE RIDDER, Ghent, Belgium
E. P. DIAMANDIS, Toronto, ON, Canada
J. F. DORÉ, Lyon, France
T. EFFERTH, Heidelberg, Germany
I. EMBER, Pécs, Hungary
W. ENGSTRÖM, Uppsala, Sweden
M. ESKELINEN, Kuopio, Finland
J. A. FERNANDEZ-POL, Chesterfield, MO, USA
S. FERRONE, Buffalo, NY, USA
G. FIORENTINI, Empoli (FI), Italy
P. B. FISHER, New York, NY, USA
I. FREITAS, Pavia, Italy
M. FRIEDRICH, Krefeld, Germany
R. E. FRIEDRICH, Hamburg, Germany
R. GANAPATHI, Cleveland, OH, USA
D. H. GILDEN, Denver, CO, USA
G. GITTSCH, Freiburg, Germany
J. S. GREENBERGER, Pittsburgh, PA, USA
J. W. GREINER, Bethesda, MD, USA
C. J. GRUBBS, Birmingham, AL, USA
F. GUADAGNI, Rome, Italy
F. HALBERG, Minneapolis, MN, USA
T. HAMAOKA, Osaka, Japan
R. R. HARDY, Philadelphia, PA, USA
J. HAU, Copenhagen, Denmark
M. HAUER-JENSEN, Little Rock, AR, USA
G. H. HEPPNER, Detroit, MI, USA
K. HIBI, Yokohama, Japan
S. A. IMAM, Pasadena, CA, USA
C. G. IOANNIDES, Houston, TX, USA
J. R. IZBICKI, Hamburg, Germany
K. S. JEONG, Daegu, S. Korea
M. KOUTSILIERIS, Athens, Greece
- G. R. F. KRUEGER, Köln, Germany
T. KUBOTA, Tokyo, Japan
S. A. LAMPRECHT, New York, NY, USA
G. LANDBERG, Lund, Sweden
I. LELONG-REBEL, Strasbourg, France
J. LEROY, Strasbourg, France
B. LÉYLAND-JONES, Atlanta, GA, USA
W. LICHTENEGGER, Berlin, Germany
P. MADARNAS, Sherbrooke, QC, Canada
H. MAEDA, Kumamoto, Japan
M. MAREEL, Ghent, Belgium
G. MARTORANA, Bologna, Italy
D. P. MIKHAILIDIS, London, UK
H. C. MORSE III, Bethesda, MD, USA
N. MOTOHASHI, Tokyo, Japan
R. M. NAGLER, Haifa, Israel
R. NARAYANAN, Boca Raton, FL, USA
K. NILSSON, Uppsala, Sweden
K. R. NORUM, Oslo, Norway
R. F. NOVAK, Detroit, MI, USA
Y. OKADA, Okazaki, Japan
J. O'KELLY, Los Angeles, CA, USA
M. PAGÉ, Laval, QC, Canada
P. PANTAZIS, Oklahoma City, OK, USA
M.-F. POUPON, Paris, France
F. M. ROBERTSON, Houston, TX, USA
D. RUBELLO, Rovigo, Italy
C. A. RUBIO, Stockholm, Sweden
G. R. RUTTEMAN, Utrecht, The Netherlands
H. SAKAGAMI, Saitama, Japan
G. SAVA, Trieste, Italy
K. J. SCANLON, Altadena, CA, USA
D. SCHIFFER, Vercelli, Italy
L. D. SHULTZ, Bar Harbor, ME, USA
G. SICA, Rome, Italy
R. M. SNAPKA, Columbus, OH, USA
G.-I. SOMA, Tokushima, Japan
T. A. SPRINGER, Boston, MA, USA
T. TAKAHASHI, Nagoya, Japan
N. TANAKA, Tokyo, Japan
H. TAPIERO, Villejuif, France
K. D. TEW, Philadelphia, PA, USA
G. C. TORRE, Finale Ligure (SV), Italy
B. TRIBUKAIT, Stockholm, Sweden
C. TROPÉ, Oslo, Norway
P. TSONIS, Dayton, OH, USA
T. TSURUO, Tokyo, Japan
J. VADGAMA, Los Angeles, CA, USA
A. VECCHIONE, Rome, Italy
N. WATANABE, Sapporo, Japan
W. WEBER, Basel, Switzerland
L. M. WEINER, Philadelphia, PA, USA
J. A. WERNER, Marburg, Germany
H. YAMAUE, Wakayama, Japan
S. YLÄ-HERTTUALA, Kuopio, Finland
H. YOSHIDA, Kagoshima, Japan

J. G. DELINASSIOS, Athens, Greece
Managing Editor and Executive Publisher

Editorial Office: journals@iiar-anticancer.org
Managing Editor: editor@iiar-anticancer.org

For more information about IN VIVO, IJAR and the International Conferences of Anticancer Research, please visit the IJAR website: www.iiar-anticancer.org

Editorial Office: International Institute of Anticancer Research, 1st km Kapandritiou-Kalamou Rd., Kapandriti, P.O. Box 22, Attiki 19014, Greece. Tel / Fax: +30-22950-53389. e-mail: journals@iiar-anticancer.org

General Policy: IN VIVO is a multidisciplinary journal designed to bring together original high quality works and reviews on experimental and clinical biomedical research within the framework of comparative physiology and pathology. The special focus of the journal is the publication of works on: (a) experimental development and application of new diagnostic procedures; (b) pharmacological and toxicological evaluation of new drugs and drug combinations; (c) development and characterization of models for biomedical research. IN VIVO supports: (a) the establishment and the activities of the INTERNATIONAL INSTITUTE OF ANTICANCER RESEARCH (IIAR; Kapandriti, Attiki, Greece) and (b) the organization of the International Conferences of Anticancer Research.

Publication Data: IN VIVO is published bimonthly. Each annual volume comprises six issues. Annual Author and Subject Indexes are included in the sixth issue of each volume. IN VIVO Vol. 18 (2004) and onwards will appear online with Stanford University HighWire Press from April 2009.

Copyright: On publication of a manuscript in IN VIVO, which is a copyrighted publication, the legal ownership of all published parts of the paper passes from the Author(s) to the Journal.

Annual Subscription Rates 2009: Institutional, Euro 855.00 - online; Euro 875.00 - print; 890.00 - print & online; Personal, Euro 452.00 - online; Euro 472.00 - print; Euro 490.00 - print & online. Prices include rapid delivery and insurance. Previous volumes of IN VIVO (Vol. 1-22, 1987-2008) are available at 50% discount on the above rates.

Subscription Orders: Orders can be placed at agencies, bookstores, or directly with the Publisher. Cheques should be made payable to J.G. Delinassios, Athens, Greece.

Articles in IN VIVO are regularly indexed in bibliographic services, including Index Medicus, PubMed, MEDLINE, Biological Abstracts, Chemical Abstracts, BIOSIS, Chemical Abstracts, Excerpta Medica, Elsevier Bibliographic Database, EMBASE, Compendex, GEOBASE, EMBiology, Elsevier BIOBASE, FLUIDEX, World Textiles, Scopus, CANCER-LIT Database, University of Sheffield Biomedical Information Service (SUBIS), Current Clinical Cancer, AIDS Abstracts, Progress in Palliative Care, Update-Research Information Systems Inc., Inpharma-Reactions Datastar, BRS), Reference Update (I.S.I.), Research Alert, Science Citation Index Expanded, Biochemistry & Biophysics Citation (I.S.I.), BioBase, MedBase, Investigational Drugs Database, VINITI Abstracts Journal, PubsHub, SIIC Data Bases.

The Editors and Publishers of IN VIVO accept no responsibility for the opinions expressed by the contributors or for the content of advertisements appearing therein.

Authorization to photocopy items for internal or personal use, or the internal or personal clients, is granted by IN VIVO, provided that the base fee of \$2.00 per copy, plus 0.40 per page is paid directly to the Copyright Clearance Center, 27 Congress Street, Salem, MA 01970, USA. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Service is 0258-851 X 2009 \$2.00 + 0.40.

All correspondence (subscription orders, reprint orders, status of submitted manuscripts, change of address, general editorial matters, advertising rate requests) should be addressed to: Dr. J.G. Delinassios. e-mail: editor@iiar-anticancer.org

Copyright© 2009, International Institute of Anticancer Research (Dr. John G. Delinassios), All rights reserved

in vivo

**International Journal of Experimental and
Clinical Pathophysiology and Drug Research**

ISSN: 0258-851X

**Volume 23
2009**

Editorial Board

- N.J. AGNANTIS, *Department of Pathology, University of Ioannina, Ioannina, Greece*
D. ANDERSON, *Department of Biomedical Sciences, University of Bradford, Bradford, West Yorkshire, UK*
V. BARAK, *Department of Oncology, Hadassah University Hospital, Jerusalem, Israel*
M.H. BARCELLOS-HOFF, *Life Sciences Division, Lawrence Berkeley National Laboratory, Berkeley, CA, USA*
Y. BECKER, *Department of Molecular Biology, Hebrew University of Jerusalem, Jerusalem, Israel*
K. BEIER, *Department of Histology, University of Basel, Basel, Switzerland*
S. BEN-EFRAIM, *Department of Human Microbiology, University of Tel-Aviv, Tel-Aviv, Israel*
M. BERGQVIST, *Department of Oncology, Radiology and Clinical Immunology, University Hospital, Uppsala, Sweden*
R. BJERKVIG, *Department of Anatomy and Cell Biology, University of Bergen, Bergen, Norway*
B. BODEY, *Department of Pathology, University of Southern California, Reseda, CA, USA*
D.A. BUTTERFIELD, *Department of Biological and Physical Chemistry, University of Kentucky, Lexington, KY, USA*
M. CARAGLIA, *Department of Experimental Oncology, National Institute of Tumours Fondazione G. Pascale, Naples, Italy*
P. CHANDRA, *Department of Molecular Biology, Frankfurt University, Frankfurt am Main, Germany*
J.-G. CHUNG, *Department of Medicine, China Medical College, Taichung, Taiwan, ROC*
L.A. COHEN, *Northampton, MA, USA*
A.I. CONSTANTINOU, *Department of Biological Sciences, University of Cyprus, Nicosia, Cyprus*
J.G. CORY, *Department of Biochemistry and Molecular Biology, East Carolina University, Greenville, NC, USA*
T. DALIANIS, *Department of Pathology-Oncology, Karolinska Institute, Stockholm, Sweden*
I. DAMJANOV, *Department of Pathology, The University of Kansas, Kansas City, KS, USA*
G. DELICONSTANTINOS, *Department of Experimental Physiology, University of Athens Medical School, Athens, Greece*
D.T. DENHARDT, *Department of Cell Biology and Neurosciences, Rutgers University, Piscataway, NJ, USA*
W. DEN OTTER, *VUMC - Department of Urology, Amsterdam, The Netherlands*
K. DE MEIRLEIR, *Department of Human Physiology and Medicine, Faculty of Physical Education and Physiotherapy, Vrije Universiteit Brussel, Brussels, Belgium*
L. DE RIDDER, *Department of Anatomy, Embryology and Histology, University of Ghent, Ghent, Belgium*
E.P. DIAMANDIS, *Department of Pathology and Laboratory Medicine, University of Toronto, Toronto, Ontario, Canada*
J.F. DORÉ, *Centre Léon Berard, Lyon, France*
T. EFFERTH, *Helmholtz Graduate School for Cancer Research, German Cancer Research Center, Heidelberg, Germany*
I. EMBER, *Department of Public Health, University of Pécs Medical School, Pécs, Hungary*
W. ENGSTRÖM, *Department of Molecular Biosciences, Swedish University of Agricultural Sciences, Uppsala, Sweden*
M. ESKELINEN, *Department of Surgery, University Hospital of Kuopio, Kuopio, Finland*
J.A. FERNANDEZ-POL, *Metalloproteomics, LLC, Chesterfield, MO, USA*
S. FERRONE, *Department of Immunology, Roswell Park Cancer Institute, Buffalo, NY, USA*
G. FIORENTINI, *Department of Oncology, San Giuseppe – Antica Sede Hospital, Empoli (FI), Italy*
P.B. FISHER, *Virginia Commonwealth University, School of Medicine, Richmond, VA, USA*
I. FREITAS, *Dipartimento di Biologia Animale, University of Pavia, Pavia, Italy*
M. FRIEDRICH, *Department of Obstetrics and Gynecology, Klinikum Krefeld, Krefeld, Germany*
R.E. FRIEDRICH, *Department of Oral and Maxillofacial Surgery, Eppendorf University Hospital, Hamburg, Germany*
R. GANAPATHI, *Taussig Cancer Center, The Cleveland Clinic Foundation, Cleveland, OH, USA*
D.H. GILDEN, *Department of Neurology, University of Colorado, Denver, CO, USA*
G. GITSCH, *Department of Gynecology and Obstetrics, University of Freiburg Medical Center, Freiburg, Germany*
J.S. GREENBERGER, *Department of Radiation Oncology, University of Pittsburgh, Pittsburgh, PA, USA*
J.W. GREINER, *National Cancer Institute, NIH, Bethesda, MD, USA*
C.J. GRUBBS, *Department of Nutrition Sciences, University of Alabama, Birmingham, AL, USA*
F. GUADAGNI, *IRCCS San Raffaele, Rome, Italy*
F. HALBERG, *Chronobiology Laboratories, University of Minnesota, Minneapolis, MN, USA*
T. HAMAOKA, *Department of Oncology, Osaka University, Graduate School of Medicine, Osaka, Japan*
R.R. HARDY, *Fox Chase Cancer Center, Philadelphia, PA, USA*
J. HAU, *Department of Comparative Medicine, University of Copenhagen, Denmark*
M. HAUER-JENSEN, *Arkansas Cancer Research Center, University of Arkansas Medical Sciences, Little Rock, AR, USA*
G.H. HEPPNER, *Department of Immunology, Michigan Cancer Foundation, Detroit, MI, USA*
K. HIBI, *Department of Surgery, Showa University Fujigaoka Hospital, Yokohama, Japan*
S.A. IMAM, *Huntington Medical Research Institutes, Gene Therapy Program, Pasadena, CA, USA*
C.G. IOANNIDES, *Department of Gynecologic Oncology, The University of Texas M.D. Anderson Cancer Center, Houston, TX, USA*
J.R. IZBICKI, *Chirurgische Universitätsklinik, Universitätskrankenhaus Hamburg, Germany*
K.S. JEONG, *Department of Pathology, College of Veterinary Medicine, Kyungpook National University, Daegu, S. Korea*

- M. KOUTSILIERIS, *Department of Experimental Physiology, University of Athens Medical School, Athens, Greece*
G.R.F. KRUEGER, *Department of Anatomy II, Center for Anatomy, The University of Cologne Medical School, Cologne, Germany*
T. KUBOTA, *Department of Surgery, Keio University School of Medicine, Tokyo, Japan*
S.A. LAMPRECHT, *Department of Medicine, Division of Gastroenterology and Hepatology, Weill Medical College of Cornell University, New York, NY, USA*
G. LANDBERG, *Department of Laboratory Medicine, Lund University, Lund, Sweden*
I. LELONG-REBEL, *Lab. de Cancérologie Exp. et de Radiobiologie, IRCAD, Strasbourg, France*
J. LEROY, *IRCAD, University of Strasbourg, France*
B. LÉYLAND-JONES, *Winship Cancer Institute, Emory University School of Medicine, Atlanta, GA, USA*
W. LICHTENEGGER, *Charité Campus Virchow-Klinikum, Berlin, Germany*
P. MADARNAS, *Department of Pathology, University of Sherbrooke, Québec, Canada*
H. MAEDA, *Faculty of Pharmaceutical Sciences, Sojo University, Kumamoto, Japan*
M. MAREEL, *Laboratory of Experimental Cancerology, State University, Ghent, Belgium*
G. MARTORANA, *Policlinico S. Orsola Malpighi, University of Bologna, Bologna, Italy*
D. P. MIKHAILIDIS, *Department of Chemical Pathology, The Royal Free Hospital, London, UK*
H. C. MORSE III, *Laboratory of Immunopathology, NIH, Bethesda, MD, USA*
N. MOTOHASHI, *Department of Medicinal Chemistry, Meiji Pharmaceutical University, Tokyo, Japan*
R. M. NAGLER, *Department of Oral and Maxillofacial Surgery, Rambam Medical Center, Haifa, Israel*
R. NARAYANAN, *Department of Biological Sciences, Florida Atlantic University, Boca Raton, FL, USA*
K. NILSSON, *Tumor Biology Laboratory, Department of Pathology, University Hospital, Uppsala, Sweden*
K. R. NORUM, *Institute for Nutrition Research, University of Oslo, Oslo, Norway*
R. F. NOVAK, *Institute of Chemical Toxicology, Wayne State University, Detroit, MI, USA*
J. O'KELLY, *Division of Hematology-Oncology, Cedar Sinai Medical Center, UCLA School of Medicine, Los Angeles, CA, USA*
Y. OKADA, *Department of Cell Physiology, National Institute for Physiological Sciences, Okazaki, Japan*
M. PAGÉ, *Département de Biologie, Division de Biochimie, Université Laval, Québec, Canada*
P. PANTAZIS, *Department of Biochemistry and Molecular Biology, University of Oklahoma Health Sciences Center, Oklahoma City, OK, USA*
M.-F. POUPON, *Institut Curie, Section de Recherche, Paris, France*
F.M. ROBERTSON, *Department of Experimental Therapeutics, The University of Texas M.D. Anderson Cancer Center, Houston, TX, USA*
D. RUBELLO, *Department of Nuclear Medicine, PET Unit, S. Maria della Misericordia Hospital, IOV, Rovigo, Italy*
C.A. RUBIO, *Karolinska Institute, Pathology Research Laboratory, Stockholm, Sweden*
G.R. RUTTEMAN, *Department of Clinical Sciences of Companion Animals, University of Utrecht, Utrecht, The Netherlands*
H. SAKAGAMI, *Department of Dental Pharmacology, Meikai University School of Dentistry, Saitama, Japan*
G. SAVA, *Institutes of Biological Research, Fondazione Callario-Onlus, Trieste, Italy*
K.J. SCANLON, *International BioScience, Altadena, CA, USA*
D. SCHIFFER, *Neuro-bio-oncology Center, Policlinico di Monza Foundation, University of Turin, Vercelli, Italy*
L.D. SHULTZ, *The Jackson Laboratory, Bar Harbor, ME, USA*
G. SICA, *Istituto di Istologia ed Embriologia, Università Cattolica del Sacro Cuore, Roma, Italy*
R.M. SNAPKA, *Department of Radiology, The Ohio State University, Columbus, OH, USA*
G.-I. SOMA, *Institutes for Health Sciences, Tokushima Bunri University, Tokushima, Japan*
T.A. SPRINGER, *Department of Pathology, Harvard Medical School, Boston, MA, USA*
T. TAKAHASHI, *Aichi Cancer Center, Nagoya, Japan*
N. TANAKA, *Research Institute, Daiichi Seiyaku Co. Ltd., Tokyo, Japan*
H. TAPIERO, *Biomedicine & Pharmacotherapy, ICIG, Hopital Paul-Brousse, Villejuif, France*
K.D. TEW, *Fox Chase Cancer Center, Philadelphia, PA, USA*
T. TOGE, *Research Institute of Radiation Biology, Hiroshima University, Hiroshima, Japan*
B. TRIBUKAIT, *Department of Medical Radiobiology, Karolinska Hospital, Stockholm, Sweden*
C. TROPÉ, *Radiumhospitalet, Oslo, Norway*
P. TSONIS, *Department of Biology, University of Dayton, OH, USA*
T. TSURUO, *Japan Foundation for Cancer Research, Cancer Chemotherapy Center, Tokyo, Japan*
J. VADGAMA, *Department of Internal Medicine, Charles E. Drew University of Medicine and Science, Los Angeles, CA, USA*
A. VECCHIONE, *Università degli Studi di Roma "La Sapienza", Rome, Italy*
N. WATANABE, *Department of Clinical Laboratory Medicine, Sapporo Medical University School of Medicine, Sapporo, Japan*
W. WEBER, *Clinical Cancer Etiology Unit, Basel, Switzerland*
L.M. WEINER, *Fox Chase Cancer Center, Philadelphia, PA, USA*
J.A. WERNER, *Department of Otolaryngology, Head and Neck Surgery, Marburg, Germany*
H. YAMAUE, *Second Department of Surgery, Wakayama Medical University, School of Medicine, Wakayama, Japan*
S. YLÄ-HERTTUALA, *Department of Molecular Medicine, A.I. Virtanen Institute, University of Kuopio, Finland*
H. YOSHIDA, *Department of Pathology, Kagoshima University, Kagoshima, Japan*