

in vivo

International Journal of Experimental and Clinical Pathophysiology and Drug Research

Volume 29, Number 1, January-February 2015

Contents

Review

- Curcumin Suppression of Cytokine Release and Cytokine Storm. A Potential Therapy for Patients with Ebola and Other Severe Viral Infections. P.P. SORDILLO, L. HELSON (*Quakertown, PA, USA*)..... 1

Experimental Studies

- Effect of Radiation and Repeated Sub-culturing on the Transforming Growth Factor- β 1 Signaling Pathway in FRTL-5 Cells. C.G. BURRELL, D.S. GRIDLEY, L.S. ORTLOFF, S.M. CHARLES, L.M. GREEN (*Loma Linda, CA; Winston-Salem, NC, USA*) 5
- Profiles of Reproductive Hormone in the Microminipig During the Normal Estrous Cycle. M. NOGUCHI, N. MIURA, T. ANDO, C. KUBOTA, S. HOB0, H. KAWAGUCHI, A. TANIMOTO (*Kagoshima, Japan*)..... 17
- Altered Expression of Claudin-1 Is Related With Malignancy in Canine Thyroid Tumors. A.R. FLORES, A. RÊMA, I. AMORIM, F. GARTNER (*Porto, Portugal*) 23
- Mast Cells Stimulate Lymphangiogenesis in the Gingiva of Patients with Periodontal Disease. M. RAICA, A.M. CIMPEAN, R.A. POPOVICI, A.R. BALICA, M. VLADAU, P.N. GAJE (*Timisoara; Brasov, Romania*) 29
- Xeroderma Pigmentosum Complementation Group C Protein (XPC) Expression in Basal Cell Carcinoma. L.-C. YANG, Y.-P. HSIAO, C.-T. LU, C.-H. HUANG, W.-R. CHAO, Y.-T. LIN, H.-A. SU, S.-L. CHANG, J.-G. CHUNG (*Chang-Hua; Taichung, Taiwan, ROC*) 35
- Improving the Bioavailability and Anticancer Effect of the PCA-1/ALKBH3 Inhibitor HUHS015 Using Sodium Salt. M. MABUCHI, T. SHIMIZU, M. UEDA, Y. SASAKAWA, S. NAKAO, Y. UEDA, A. KAWAMURA, K. TSUJIKAWA, A. TANAKA (*Kobe; Osaka; Suita; Kainan, Japan*) 39

Contents continued on the back cover

in vivo

International Journal of Experimental and Clinical Pathophysiology and Drug Research



ISSN (print): 0258-851X, ISSN (online): 1791-7549

Editorial Board

- N. J. AGNANTIS, Ioannina, Greece
D. ANDERSON, Bradford, West Yorkshire, UK
J.P.A. BAAK, Stavanger, Norway
V. BARAK, Jerusalem, Israel
M. H. BARCELLOS-HOFF, New York, NY, USA
Y. BECKER, Jerusalem, Israel
K. BEIER, Basel, Switzerland
M. BERGQVIST, Uppsala, Sweden
R. BJERKVIK, Bergen, Norway
D. A. BUTTERFIELD, Lexington, KY, USA
M. CARAGLIA, Naples, Italy
P. CHANDRA, Frankfurt am Main, Germany
J.-G. CHUNG, Taichung, Taiwan, ROC
L. A. COHEN, Northampton, MA, USA
A. I. CONSTANTINOU, Nicosia, Cyprus
T. DALIANIS, Stockholm, Sweden
G. DELICONSTANTINOS, Athens, Greece
D. T. DENHARDT, Bridgewater, NJ, USA
W. DEN OTTER, Amsterdam, The Netherlands
K. DE MEIRLEIR, Brussels, Belgium
L. DE RIDDER, Ghent, Belgium
E. P. DIAMANDIS, Toronto, ON, Canada
T. EFFERTH, Mainz, Germany
W. ENGSTRÖM, Uppsala, Sweden
M. ESKELINEN, Kuopio, Finland
J. A. FERNANDEZ-POL, Chesterfield, MO, USA
S. FERRONE, Pittsburgh, PA, USA
G. FIORENTINI, Pesaro, Italy
P. B. FISHER, New York, NY, USA
I. FREITAS, Pavia, Italy
M. FRIEDRICH, Krefeld, Germany
R. E. FRIEDRICH, Hamburg, Germany
R. GANAPATHI, Charlotte, NC, USA
Z. GATALICA, Omaha, NE, USA
D. H. GILDEN, Aurora, CO, USA
G. GITSCHE, Freiburg, Germany
J. S. GREENBERGER, Pittsburgh, PA, USA
J. W. GREINER, Bethesda, MD, USA
D. S. GRIDLEY, Loma Linda, CA, USA
C. J. GRUBBS, Birmingham, AL, USA
F. GUADAGNI, Rome, Italy
R. R. HARDY, Philadelphia, PA, USA
J. HAU, Copenhagen, Denmark
M. HAUER-JENSEN, Little Rock, AR, USA
K. HIBI, Kakamigahara, Japan
S. A. IMAM, Pasadena, CA, USA
J. R. IZBICKI, Hamburg, Germany
A. JAKOBSEN, Vejle, Denmark
K. S. JEONG, Daegu, S. Korea
T. KAMOTO, Miyazaki, Japan
I. KISS, Pécs, Hungary
E. KONDO, Nagoya, Japan
M. KOUTSILIERIS, Athens, Greece

J. G. DELINASIOS, Athens, Greece
Managing Editor and Executive Publisher

Editorial Office: journals@iiar-anticancer.org
Managing Editor: editor@iiar-anticancer.org

For more information about IN VIVO, IJAR and the International Conferences of Anticancer Research, please visit the IJAR website: www.iiar-anticancer.org

Editorial Office: International Institute of Anticancer Research, 1st km Kapandritiou-Kalamou Rd., Kapandriti, P.O. Box 22, Attiki 19014, Greece. Tel / Fax: +30-22950-53389. e-mail: journals@iiar-anticancer.org

General Policy: IN VIVO is a multidisciplinary journal designed to bring together original high quality works and reviews on experimental and clinical biomedical research within the framework of comparative physiology and pathology. The special focus of the journal is the publication of works on: (a) experimental development and application of new diagnostic procedures; (b) pharmacological and toxicological evaluation of new drugs and drug combinations; (c) development and characterization of models for biomedical research. IN VIVO supports: (a) the activities of the INTERNATIONAL INSTITUTE OF ANTICANCER RESEARCH (IIAR; Kapandriti, Attiki, Greece) and (b) the organization of the International Conferences of Anticancer Research (www.iiar-anticancer.org).

Publication Data: IN VIVO is published bimonthly. Each annual volume comprises six issues. Annual Author and Subject Indexes are included in the sixth issue of each volume. IN VIVO Vol. 18 (2004) and onwards appears online with Stanford University HighWire Press.

Copyright: On publication of a manuscript in IN VIVO, which is a copyrighted publication, the legal ownership of all published parts of the paper passes from the Author(s) to the Journal.

Annual Subscription Rates 2015: Institutional, Euro 855.00 - print or online; Personal, Euro 452.00 - print or online. Prices include rapid delivery and insurance. Previous volumes of IN VIVO (Vol. 1-28, 1987-2014) are available at 50% discount on the above rates.

Subscription Orders: Orders can be placed at agencies, bookstores, or directly with the Publisher. Cheques should be made payable to Delinasios G. J. & CO G.P., Athens, Greece.

Articles in IN VIVO are regularly indexed in bibliographic services, including Index Medicus, PubMed, MEDLINE, Biological Abstracts, Chemical Abstracts, BIOSIS, Chemical Abstracts, Excerpta Medica, Elsevier Bibliographic Database, EMBASE, Compendex, GEOBASE, EMBiology, Elsevier BIOBASE, FLUIDEX, World Textiles, Scopus, CANCER-LIT Database, University of Sheffield Biomedical Information Service (SUBIS), Current Clinical Cancer, AIDS Abstracts, Progress in Palliative Care, Update-Research Information Systems Inc., Inpharma-Reactions Datastar, BRS), Reference Update (I.S.I.), Research Alert, Science Citation Index Expanded, Biochemistry & Biophysics Citation (I.S.I.), BioBase, MedBase, Google Scholar, Investigational Drugs Database, VINITI Abstracts Journal, PubsHub, SIIC Data Bases.

The Editors and Publishers of IN VIVO accept no responsibility for the opinions expressed by the contributors or for the content of advertisements appearing therein.

Authorization to photocopy items for internal or personal use, or the internal or personal clients, is granted by IN VIVO, provided that the base fee of \$2.00 per copy, plus 0.40 per page is paid directly to the Copyright Clearance Center, 27 Congress Street, Salem, MA 01970, USA. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Service is 0258-851 X 2015 \$2.00 + 0.40.

All correspondence (subscription orders, reprint orders, status of submitted manuscripts, change of address, general editorial matters, advertising rate requests) should be addressed to the Editorial Office. e-mail: journals@iiar-anticancer.org

Copyright© 2015, International Institute of Anticancer Research (Dr. John G. Delinasios), All rights reserved

in vivo

**International Journal of Experimental and
Clinical Pathophysiology and Drug Research**

ISSN (print): 0258-851X; ISSN (online): 1791-7549

**Volume 29
2015**

Editorial Board

- N.J. AGNANTIS, *Department of Pathology, University of Ioannina, Ioannina, Greece*
- D. ANDERSON, *Department of Biomedical Sciences, University of Bradford, Bradford, West Yorkshire, UK*
- J.P.A. BAAK, *Department of Pathology, Stavanger University Hospital, Stavanger, Norway*
- V. BARAK, *Department of Oncology, Hadassah University Hospital, Jerusalem, Israel*
- M.H. BARCELLOS-HOFF, *Department of Radiation Oncology, New York University School of Medicine, New York, NY, USA*
- Y. BECKER, *Department of Biochemistry, Faculty of Medicine, Hebrew University of Jerusalem, Jerusalem, Israel*
- K. BEIER, *Department of Histology, University of Basel, Basel, Switzerland*
- M. BERGQVIST, *Department of Oncology, Radiology and Clinical Immunology, University Hospital, Uppsala, Sweden*
- R. BJERKVIG, *Norlux Neuro-Oncology, Department of Biomedicine, University of Bergen, Bergen, Norway*
- D.A. BUTTERFIELD, *Department of Biological and Physical Chemistry, University of Kentucky, Lexington, KY, USA*
- M. CARAGLIA, *Department of Experimental Oncology, National Institute of Tumours Fondazione G. Pascale, Naples, Italy*
- P. CHANDRA, *Department of Molecular Biology, Frankfurt University, Frankfurt am Main, Germany*
- J.-G. CHUNG, *Department of Medicine, China Medical College, Taichung, Taiwan, ROC*
- L.A. COHEN, *Northampton, MA, USA*
- A.I. CONSTANTINOU, *Department of Biological Sciences, University of Cyprus, Nicosia, Cyprus*
- T. DALIANIS, *Department of Pathology-Oncology, Karolinska Institute, Stockholm, Sweden*
- G. DELICONSTANTINOS, *Department of Experimental Physiology, University of Athens Medical School, Athens, Greece*
- D.T. DENHARDT, *Division of Life Sciences, Rutgers University, Bridgewater, NJ, USA*
- W. DEN OTTER, *VUMC - Department of Urology, Amsterdam, The Netherlands*
- K. DE MEIRLEIR, *Department of Human Physiology and Medicine, Faculty of Physical Education and Physiotherapy, Vrije Universiteit Brussel, Brussels, Belgium*
- L. DE RIDDER, *Department of Anatomy, Embryology and Histology, University of Ghent, Ghent, Belgium*
- E.P. DIAMANDIS, *Department of Pathology and Laboratory Medicine, University of Toronto, Toronto, Ontario, Canada*
- T. EFFERTH, *Department of Pharmaceutical Biology, Institute of Pharmacy and Biochemistry, University of Mainz, Germany*
- W. ENGSTRÖM, *Department of Molecular Biosciences, Swedish University of Agricultural Sciences, Uppsala, Sweden*
- M. ESKELINEN, *Department of Surgery, University Hospital of Kuopio, Kuopio, Finland*
- J.A. FERNANDEZ-POL, *Metalloproteomics, LLC, Chesterfield, MO, USA*
- S. FERRONE, *Department of Immunology, University of Pittsburgh, Pittsburgh, PA, USA*
- G. FIORENTINI, *UOC Oncologia, Azienda Ospedaliera Marche Nord, Pesaro, Italy*
- P.B. FISHER, *Virginia Commonwealth University, School of Medicine, Richmond, VA, USA*
- I. FREITAS, *Dipartimento di Biologia Animale, University of Pavia, Pavia, Italy*
- M. FRIEDRICH, *Department of Obstetrics and Gynecology, Klinikum Krefeld, Krefeld, Germany*
- R.E. FRIEDRICH, *Department of Oral and Maxillofacial Surgery, Eppendorf University Hospital, Hamburg, Germany*
- R. GANAPATHI, *Levine Cancer Institute, Carolinas HealthCare System, Charlotte, NC, USA*
- Z. GATALICA, *Department of Pathology and Creighton Medical Laboratories, Creighton University Medical Center, Omaha, NE, USA*
- D.H. GILDEN, *Department of Neurology, University of Colorado Denver School of Medicine, Aurora, CO, USA*
- G. GITSCH, *Department of Gynecology and Obstetrics, University of Freiburg Medical Center, Freiburg, Germany*
- J.S. GREENBERGER, *Department of Radiation Oncology, University of Pittsburgh, Pittsburgh, PA, USA*
- J.W. GREINER, *National Cancer Institute, NIH, Bethesda, MD, USA*
- D.S. GRIDLEY, *Department of Radiation Medicine, Radiation Research Laboratories, Loma Linda University and Medical Center, Loma Linda, CA, USA*

- C.J. GRUBBS, *Department of Nutrition Sciences, University of Alabama, Birmingham, AL, USA*
F. GUADAGNI, *IRCCS San Raffaele, Rome, Italy*
R.R. HARDY, *Fox Chase Cancer Center, Philadelphia, PA, USA*
J. HAU, *Department of Comparative Medicine, University of Copenhagen, Denmark*
M. HAUER-JENSEN, *Arkansas Cancer Research Center, University of Arkansas Medical Sciences, Little Rock, AR, USA*
K. HIBI, *Tokai Central Hospital, Kakamigahara, Gifu, Japan*
S.A. IMAM, *Huntington Medical Research Institutes, Gene Therapy Program, Pasadena, CA, USA*
J.R. IZBICKI, *Chirurgische Universitätsklinik, Universitätskrankenhaus Hamburg, Germany*
A. JAKOBSEN, *Department of Oncology, Vejle Hospital, Vejle, Denmark*
K.S. JEONG, *Department of Pathology, College of Veterinary Medicine, Kyungpook National University, Daegu, S. Korea*
T. KAMOTO, *Department of Urology, Faculty of Medicine, University of Miyazaki, Miyazaki, Japan*
I. KISS, *Institute of Preventive Medicine, Medical School, University of Pécs, Pécs, Hungary*
E. KONDO, *Division of Oncological Pathology, Aichi Cancer Center Research Institute, Nagoya, Japan*
M. KOUTSILIERIS, *Department of Experimental Physiology, University of Athens Medical School, Athens, Greece*
G.R.F. KRUEGER, *Department of Anatomy II, Center for Anatomy, The University of Cologne Medical School, Cologne, Germany*
B. KRUSLIN, *Department of Pathology, Ljudevit Jurak University, Sestre milosrdnice University Hospital, Zagreb, Croatia*
S.A. LAMPRECHT, *Division of Clinical Biochemistry, Faculty of Health Sciences, Ben Gurion University of the Negev, Beer-Sheva, Israel*
G. LANDBERG, *Department of Laboratory Medicine, Lund University, Lund, Sweden*
I. LELONG-REBEL, *Lab. de Biophotonique et Pharmacologie, Université de Strasbourg, Illkirch, France*
J. LEROY, *IRCAD, University of Strasbourg, France*
W. LICHTENEGGER, *Charité Campus Virchow-Klinikum, Berlin, Germany*
P. MADARNAS, *Department of Pathology, University of Sherbrooke, Québec, Canada*
H. MAEDA, *Faculty of Pharmaceutical Sciences, Sojo University, Kumamoto, Japan*
M. MAREEL, *Laboratory of Experimental Cancerology, State University, Ghent, Belgium*
G. MARTORANA, *Policlinico S. Orsola Malpighi, University of Bologna, Bologna, Italy*
D.P. MIKHAILIDIS, *Department of Chemical Pathology, The Royal Free Hospital, London, UK*
J. MOLNÁR, *Department of Medical Microbiology and Immunobiology, Faculty of Medicine, University of Szeged, Szeged, Hungary*
N. MOTOHASHI, *Department of Medicinal Chemistry, Meiji Pharmaceutical University, Tokyo, Japan*
R.M. NAGLER, *Department of Oral and Maxillofacial Surgery, Rambam Medical Center, Haifa, Israel*
S. NAKANO, *Graduate School of Health and Nutritional Sciences, Nakamura Gakuen University, Fukuoka, Japan*
D.-H. NAM, *Department of Neurosurgery, Samsung Medical Center, Sungkyunkwan University School of Medicine, Seoul, Republic of Korea*
R. NARAYANAN, *Department of Biological Sciences, Florida Atlantic University, Boca Raton, FL, USA*
M.B. NICHOLL, *Department of Surgery, Ellis Fischel Cancer Center, University of Missouri School of Medicine, Columbia, MO, USA*
K. NILSSON, *Tumor Biology Laboratory, Department of Pathology, University Hospital, Uppsala, Sweden*
K.R. NORUM, *Institute for Nutrition Research, University of Oslo, Oslo, Norway*
R.F. NOVAK, *Shriners Hospitals for Children International, Tampa, FL, USA*
K. OGAWA, *Department of Surgery, Tokyo Women's Medical University Medical Center East, Tokyo, Japan*
M. PAGÉ, *Département de Biologie, Division de Biochimie, Université Laval, Québec, Canada*
M.-F. POUPON, *Institut Curie, Section de Recherche, Paris, France*

- F.M. ROBERTSON**, *Virginia Commonwealth University, Clinical Research Services, Center for Clinical and Translational Research, Richmond Academy of Medicine, Richmond, VA, USA*
- D. RUBELLO**, *Department of Nuclear Medicine, PET Unit, S. Maria della Misericordia Hospital, IOV, Rovigo, Italy*
- C.A. RUBIO**, *Karolinska Institute, Pathology Research Laboratory, Stockholm, Sweden*
- G.R. RUTTEMAN**, *Department of Clinical Sciences of Companion Animals, University of Utrecht, Utrecht, The Netherlands*
- H. SAKAGAMI**, *Department of Dental Pharmacology, Meikai University School of Dentistry, Saitama, Japan*
- G. SAVA**, *Institutes of Biological Research, Fondazione Callerio-Onlus, Trieste, Italy*
- D. SCHIFFER**, *Neuro-bio-oncology Center, Policlinico di Monza Foundation, University of Turin, Vercelli, Italy*
- L.D. SHULTZ**, *The Jackson Laboratory, Bar Harbor, ME, USA*
- G. SICA**, *Istituto di Istologia ed Embriologia, Universita Cattolica del Sacro Cuore, Roma, Italy*
- J. SLANSKY**, *Integrated Department of Immunology, School of Medicine, University of Colorado Denver and National Jewish Health, Denver, CO, USA*
- R.M. SNAPKA**, *Department of Radiology, The Ohio State University, Columbus, OH, USA*
- G.-I. SOMA**, *Department of Integrated and Holistic Immunology, Faculty of Medicine, Kagawa University, Kagawa, Japan*
- T.A. SPRINGER**, *Department of Pathology, Harvard Medical School, Boston, MA, USA*
- D.D. SPYROPOULOS**, *Department of Pathology and Laboratory Medicine, Medical University of South Carolina, Charleston, SC, USA*
- N. TANAKA**, *Department of Animal Pharmaceutical Science, Chiba Institute of Science, Chiba, Japan*
- K.D. TEW**, *Department of Pharmacology, Medical University of South Carolina, Charleston, SC, USA*
- G.C. TORRE**, *Centro Ippocrate, Vico Cosmelli 4, Finale Ligure (SV), Italy*
- B. TRIBUKAIT**, *Department of Medical Radiobiology, Karolinska Hospital, Stockholm, Sweden*
- J. VADGAMA**, *Department of Internal Medicine, Charles E. Drew University of Medicine and Science, Los Angeles, CA, USA*
- J.K. VISHWANATHA**, *Graduate School of Biomedical Sciences, University of North Texas Health Science Center, Fort Worth, TX, USA*
- N. WATANABE**, *Department of Clinical Laboratory Medicine, Sapporo Medical University School of Medicine, Sapporo, Japan*
- W. WEBER**, *Clinical Cancer Etiology Unit, Basel, Switzerland*
- L.M. WEINER**, *Lombardi Comprehensive Cancer Center, Georgetown University Medical Center, Washington, DC, USA*
- J.A. WERNER**, *Department of Otolaryngology, Head and Neck Surgery, Marburg, Germany*
- S. YLÄ-HERTTUALA**, *Department of Molecular Medicine, A.I. Virtanen Institute, University of Kuopio, Finland*
- H. YOSHIDA**, *Department of Pathology, Kagoshima University, Kagoshima, Japan*

Review