

## Instructions for Authors 2023

**General Policy.** IN VIVO is a multidisciplinary journal designed to bring together original high quality works and reviews on experimental and clinical biomedical research within the frames of human physiology, pathology and disease management. The topics of IN VIVO include: 1. Experimental development and application of new diagnostic and therapeutic procedures; 2. Pharmacological and toxicological evaluation of new drugs, drug combinations and drug delivery systems; 3. Clinical trials; 4. Development and characterization of models of biomedical research; 5. Cancer diagnosis and treatment; 6. Immunotherapy and vaccines; 7. Radiotherapy, Imaging; 8. Tissue engineering, Regenerative medicine; 9. Carcinogenesis; 10. Retrospective studies and case reports. Each article should include a concrete conclusion constituting a “new piece of knowledge” backed up by scientific evidence. IN VIVO provides for the prompt online publication of accepted articles, generally within 1-2 months from final acceptance.

Manuscripts will be accepted on the understanding that they report original unpublished works that are not under consideration for publication by another journal, and that they will not be published again in the same form. All authors should sign a submission letter confirming the approval of their article contents. All material submitted to IN VIVO will be subject to peer-review, when appropriate, by two members of the Editorial Board. All manuscripts submitted to IN VIVO are urgently treated with absolute confidence, with access restricted to the Managing Editor, the journal’s secretary, the reviewers and the printers. The Editors reserve the right to improve manuscripts on grammar and style.

The use of animals in biomedical research should take place under careful supervision of a person adequately trained in this field and the animals must be treated humanely at all times. Such research should adhere to the Guiding Principles in the Care and Use of Animals approved by the Council of the American Physiological Society.

The Editors and Publishers of IN VIVO accept no responsibility for the contents and opinions expressed by the contributors. Authors should warrant due diligence in the creation and issuance of their work.

**Open Access Policy.** IN VIVO appears bimonthly as an online-only open access journal through HighWire Press. All articles are published with gold open access, which means that the final published version is permanently and freely available to anyone. Our open access articles are distributed under the terms and conditions of the Creative Commons Attribution (CC BY-NC-ND) 4.0 international license (<https://creativecommons.org/licenses/by-nc-nd/4.0>). Upon acceptance, Authors will be asked to pay an online publication fee of USD 850.00 (effective January 1, 2023) for articles up to 8 online pages (including figures and tables). Each additional excess page will be charged USD 60.00. Color will not be charged. Authors from developing countries may apply for a 25% discount after the acceptance of their paper. IN VIVO online will keep the volume and issue numbers, as well as page numbering.

**UKRI Open Access Policy.** UKRI-funded Authors retain the right to distribute the final published version of their accepted article, such as via an institutional and/or subject repository (e.g. EuropePMC), under a Creative Commons Attribution 4.0 International (CC BY 4.0) licence (<https://creativecommons.org/licenses/by/4.0/>).

**Copyright.** Authors retain copyright. The unrestricted non-commercial use, distribution and reproduction in any medium of IN VIVO articles for academic reasons is allowed, provided that the original work is properly cited. The Authors grant the permanent right to the publisher to use any articles published in this journal without any restriction, including academic advertising purposes. PDF, XML and html files of all articles published in IN VIVO are the property of the publisher.

**Format.** Two types of papers may be submitted: (i) Full papers containing completed original work (without supplementary data), and (ii) review articles concerning fields of recognisable progress. Papers should contain all essential data in order to make the presentation clear. Papers should be written in clear, concise English. Spelling should follow that given in the “Shorter Oxford English Dictionary”.

**Manuscripts.** Manuscripts should be divided into the following sections: (a) *First page* including the title of the presented work [not exceeding fifteen (15) words], full names and full postal addresses of all Authors, name of the Author to whom proofs are to be sent, key words, an abbreviated running title, an indication “review”, “clinical”, “epidemiological”, or “experimental” study, and the date of submission. (Note: The order of the Authors is not necessarily indicative of their contribution to the work. Authors may note their individual contribution(s) in the appropriate section(s) of the presented work or before the Acknowledgements); (b) *Abstract* not exceeding 250 words, organized according to the following headings: Background/Aim – Materials and Methods/Patients and Methods – Results – Conclusion; (c) *Introduction*; (d) *Materials and Methods/Patients and Methods*; (e) *Results*; (f) *Discussion*; (g) *Conflicts of Interest*; (h) *Authors’ Contributions*; (i) *Acknowledgements*; (j) *References*. All pages must be numbered consecutively. Footnotes should be avoided. Review articles may follow a different style according to the subject matter and the Author’s opinion.

**Figures (graphs and photographs).** All figures should appear **at the end** of the submitted document file. Once a manuscript is accepted all figures should be submitted separately in either jpg, tiff or pdf format and at a minimum resolution of 300 dpi. Graphs must be submitted as pictures made from drawings and must not require any artwork, typesetting, or size modifications. The number of each figure must be indicated. Pages that include color figures are not subject to color charges.

**Tables.** All tables should appear **at the end** of the submitted document file. Each table may have 2-10 vertical columns. Once a manuscript is accepted, each table should be submitted separately, typed double-spaced. Tables should be numbered with Roman numerals and should include a short title.

**References.** Authors must assume responsibility for the accuracy of the references used. Citations for the reference sections of submitted works should follow the form below and must be numbered consecutively. In the text, references should be cited by number in parenthesis. Examples: 1 Kenyon J, Liu W and Dalglish A: Report of objective clinical responses of cancer patients to pharmaceutical-grade synthetic cannabidiol. *Anticancer Res* 38(10): 5831-5835, 2018. PMID: 30275207. DOI: 10.21873/anticancer.12924 (PMIDs and DOIs only if applicable). 2 McGuire WL and Chamnes GC: Studies on the oestrogen receptor in breast cancer. In: *Receptors for Reproductive Hormones*. O' Malley BW, Chamnes GC (eds.). New York, Plenum Publ Corp., pp 113-136, 1973. 3 Global Health Estimates 2015: Disease Burden by Cause, Age, Sex, by Country and by Region, 2000-2015. Geneva, World Health Organisation, 2016. Available at: [http://www.who.int/healthinfo/global\\_burden\\_disease/estimates/en/index2.html](http://www.who.int/healthinfo/global_burden_disease/estimates/en/index2.html) [Last accessed on April 3, 2018]. (The web address should link directly to the cited information and not to a generic webpage).

**Nomenclature and Abbreviations.** Nomenclature should follow that given in "Chemical Abstracts", "Index Medicus", "Merck Index", "IUPAC -IUB", "Bergey's Manual of Determinative Bacteriology", The CBE Manual for Authors, Editors and Publishers (6th edition, 1994), and MIAME Standard for Microarray Data. Human gene symbols may be obtained from the HUGO Gene Nomenclature Committee (HGNC) (<http://www.gene.ucl.ac.uk/>). Approved mouse nomenclature may be obtained from <http://www.informatics.jax.org/>. Standard abbreviations are preferable. If a new abbreviation is used, it must be defined on first usage.

**Clinical Trials.** Authors of manuscripts describing clinical trials should provide the appropriate clinical trial number in the correct format in the text.

For International Standard Randomised Controlled Trials (ISRCTN) Registry (a not-for-profit organization whose registry is administered by Current Controlled Trials Ltd.) the unique number must be provided in this format: ISRCTNXXXXXXXX (where XXXXXXXX represents the unique number, always prefixed by "ISRCTN"). Please note that there is no space between the prefix "ISRCTN" and the number. Example: ISRCTN47956475.

For Clinicaltrials.gov registered trials, the unique number must be provided in this format: NCTXXXXXXXX (where XXXXXXXX represents the unique number, always prefixed by "NCT"). Please note that there is no space between the prefix "NCT" and the number. Example: NCT00001789.

**Ethical Policies and Standards.** IN VIVO agrees with and follows the "Uniform Requirements for Manuscripts Submitted to Biomedical Journals" established by the International Committee of Medical Journal Editors in 1978 and updated in October 2001 ([www.icmje.org](http://www.icmje.org)). Microarray data analysis should comply with the "Minimum Information About Microarray Experiments (MIAME) standard". Specific guidelines are provided at the "Microarray Gene Expression Data Society" (MGED) website. Presentation of genome sequences should follow the guidelines of the NHGRI Policy on Release of Human Genomic Sequence Data. Research involving human beings must adhere to the principles of the Declaration of Helsinki and Title 45, U.S. Code of Federal Regulations, Part 46, Protection of Human Subjects, effective December 13, 2001. Research involving animals must adhere to the Guiding Principles in the Care and Use of Animals approved by the Council of the American Physiological Society. The use of animals in biomedical research should be under the careful supervision of a person adequately trained in this field and the animals must be treated humanely at all times. Research involving the use of human foetuses, foetal tissue, embryos and embryonic cells should adhere to the U.S. Public Law 103-41, effective December 13, 2001.

**Submission of Manuscripts.** Please follow the Instructions for Authors regarding the format of your manuscript and references. Manuscripts must be submitted only through our online submission system at: <http://www.iiar-submissions.com/login.html> In case a submission is incomplete, the corresponding Author will be notified accordingly. Questions regarding difficulties in using the online submission system should be addressed to: email: [journals@iiar-anticancer.org](mailto:journals@iiar-anticancer.org)

**Galley Proofs.** Unless otherwise indicated, galley proofs will be sent to the corresponding Author of the submission. Corrections of galley proofs should be limited to typographical errors. Galley proofs should be returned corrected to the Editorial Office by email within 24 hours.

**Erratum.** An erratum is published to correct any error(s) that might have been introduced to the article by the publisher during the publication process. Authors who may notice an error in the final published article should contact directly the Editorial Office.

**Corrigendum.** A corrigendum is published to change a part or to correct any error(s) that might have been introduced by the author(s). Authors should contact our Editorial Office, and our Editor will decide on the appropriate course of action.

### **Specific information and additional instructions for Authors**

1. In Vivo (IV) will consider the publication of conference proceedings and/or abstracts provided that the material submitted fulfils the quality requirements and instructions of the journal, following the regular review process by two suitable referees.
2. An acknowledgement of receipt, including the article number, title and date of receipt is sent to the corresponding author of each manuscript upon receipt. If this receipt is not received within 5 days from submission, the author should contact the Editorial Office to ensure that the manuscript (or the receipt) was not lost in the mail.
3. Each manuscript submitted to IV is sent for peer-review (single-blind) in confidence to two-three suitable referees with the request to return the manuscript with their comments to the Editorial Office within 12 days from receipt. If reviewers need a longer time or wish to send the manuscript to another expert, the manuscript may be returned to the Editorial Office with a delay. All manuscripts submitted to IV, are treated in confidence, without access to any person other than the Managing Editor, the journal's secretary, the reviewers and the printers.
4. All accepted manuscripts are carefully corrected in style and language, if necessary, to make presentation clear. (There is no fee for this service). Every effort is made (a) to maintain the personal style of the author's writing and (b) to avoid change of meaning. Authors will be requested to examine carefully manuscripts which have undergone language correction at the pre-proof or proof stage.
5. Authors should pay attention to the following points when writing an article for IN VIVO:
  - The Instructions to Authors must be followed in every detail.
  - The presentation of the experimental methods should be clear and complete in every detail facilitating reproducibility by other scientists.
  - The presentation of results should be simple and straightforward in style. Results and Discussion should not be combined into one section.
  - Results given in figures should not be repeated in tables.
  - Photographs should be clear with high contrast, presenting the actual observation described in the legend and in the text. Each legend should provide a complete description, being self-explanatory, including technique of preparation, information about the specimen and magnification.
  - Statistical analysis should be elaborated wherever it is necessary. Simplification of presentation by giving only numerical or % values should be avoided.
  - Fidelity of the techniques and reproducibility of the results, should be points of particular importance in the discussion section. Authors are advised to check the correctness of their methods and results carefully before writing an article. Probable or dubious explanations should be avoided.
  - Authors should not cite results submitted for publication in the reference section. Such results may be described briefly in the text with a note in parenthesis (submitted for publication by... authors, year).
  - References. Each article should address, list and discuss the entire spectrum of current publications relevant to its field.
  - By following these instructions, Authors will facilitate a more rapid review and processing of their manuscripts and will provide the readers with concise and useful papers.
6. Following review and acceptance, a manuscript is examined in language and style, and galley proofs are rapidly prepared. Second proofs are not sent unless required.
7. Authors should correct their galley proofs very carefully and preferably twice. An additional correction by a colleague always proves to be useful. Particular attention should be paid to chemical formulas, mathematical equations, symbols, medical nomenclature etc. Any system of correction marks can be used in a clear manner, preferably in red. Additions or clarifications are allowed provided that they improve the presentation but do not bring new results (no fee).
8. Articles submitted to IN VIVO may be rejected without review if:
  - they do not fall within the journal's policy.
  - they do not follow the instructions for authors.
  - language is unclear.
  - results are not sufficient to support a final conclusion.
  - results are not objectively based on valid experiments.
  - they repeat results already published by the same or other authors before the submission to IV.
  - plagiarism is detected by plagiarism screening services.(Rejection rate (2022): 65%).
9. All Authors will be asked to supply author contribution and conflict of interest forms.
10. Authors who wish to prepare a review should contact the Managing Editor of the journal in order to get confirmation of interest in the particular topic of the review and to allow programming of space availability. The expression of interest by the Managing Editor does not necessarily imply acceptance of the review by the journal.
11. Authors may inquire information about the status of their manuscript(s) by calling the Editorial Office at +30-22950-53389, Monday to Friday 9.00-16.00 (Athens time), or by sending an e-mail to [journals@iiar-anticancer.org](mailto:journals@iiar-anticancer.org).
12. Authors who wish to organize or edit a special issue on a particular topic should contact the Managing Editor.  
(This text is a combination of advice and suggestions contributed by Editors, Authors, Readers and the Managing Editor of IV).

# ANTICANCER RESEARCH

International Journal of Cancer Research and Treatment

ISSN: 0250-7005

Volume 43, Number 1, January 2023

## Contents

### Reviews

Hyperthermic Intraperitoneal Chemotherapy in the Management of Primary Epithelial Ovarian Cancer: A Debated Issue for Gynecologic Oncologists. A. GADDUCCI, S. COSIO, P.V. LIPPOLIS (Pisa, Italy)..... 4659

Pathophysiology and Therapeutic Perspectives for Chemotherapy-induced Peripheral Neuropathy. A. AVALLONE, S. BIMONTE, C. CARDONE, M. CASCELLA, A. CUOMO (Naples, Italy)..... 4667

### Experimental Studies

Recombinant Thrombospondin Has Anti-tumor Effects and Enhances the Effects of Gemcitabine for Pancreatic Cancer Through G-protein Coupled Receptor 15. K. FURUKAWA, J. LING, Y. SUN, Y. LU, J. FU, R. MARUKUCHI, P.J. CHIAO (Houston, TX, USA; Tokyo, Japan)..... 4679

Microtumor Spheroids Provide a Model for Studying Molecules Involved in Vascular Organization: An Illustrative Study for VE-cadherin. P. DEMBÉLÉ, O. GARNIER, D.K. MARTIN, I. VILGRAIN (Grenoble, France)..... 4689

PRKRIPI, a Splicing Complex Factor, Is a Marker of Poor Prognosis in Colorectal Cancer. Y. OZATO, T. MASUDA, Y. KOBAYASHI, S. TAKAO, Y. HISAMATU, T. TOSHIMA, Y. YONEMURA, M. UEMURA, H. EGUCHI, Y. DOKI, M. MORI, K. MIMORI (Beppu, Saito, Isehara, Japan)..... 4701

Long-chain Non-coding RNA MIR435-2HG Expression Correlates With Size of Intestinal Polyps in Children and With Metastasis of Colon Cancer. D. ZHU, P. GUO, X.Y. JIN, R. ZHANG, G. JI, Z. YANG, R.M. HOFFMAN, W. SHENG (Nanjing, Xinjiang, PR China; San Diego, CA, USA)..... 4707

Contents continued on the back cover

ISSN (online): 1791-7530 / ISSN (print): 0250-7005

## General Policy

- **ANTICANCER RESEARCH** is an independent international forum devoted to the rapid publication of original high quality articles and reviews on all aspects of experimental and clinical oncology. Prompt evaluation of all submitted articles in confidence and rapid publication within 1-2 months from acceptance are guaranteed.
- **ANTICANCER RESEARCH** is published monthly by the International Institute of Anticancer Research and is available online with Stanford University HighWire Press.
- **Editorial Office:** International Institute of Anticancer Research, 1st km Kapandritiou-Kalamou Rd., P.O. Box 22, Kapandriti, Attiki 19014, Greece. Tel: +30 22950 52945, Fax: +30 22950 53389.  
**U.S. Branch:** Anticancer Research Inc., USA, 111 Bay Avenue, Highlands, NJ, USA.
- **E-mail:** journals@iiar-anticancer.org;  
IIAR WEBSITES: www.iiar-anticancer.org and www.iiarjournals.org

## ● Selection of Recent Articles

Devitalization of Glioblastoma Cancer Cells by Non-invasive Physical Plasma: Modulation of Proliferative Signalling Cascades. S. LEHMANN, S. BIEN-MÖLLER, S. MARX, S. BEKESCHUS, H.W.S. SCHROEDER, A. MUSTEA, M.B. STOPE (Greifswald; Bonn, Germany; Boston, MA, USA)

Appraising Animal Models of Prostate Cancer for Translational Research: Future Directions. E. NASCIMENTO-GONCALVES, F. SEIXAS, R.M.G. DA COSTA, M.J. PIRES, M.J. NEUPARTH, D. MOREIRA-GONCALVES, M. FARDILHA, A.I. FAUSTINO-ROCHA, B. COLACO, R. FERREIRA, P.A. OLIVEIRA (Vila Real; Aveiro; Porto; Gandra; Évora, Portugal; São Luís, Brazil)

Effect of Antibiotic Treatment on Attenuated Salmonella typhimurium VNP20009 Mediated Schwannoma Growth Control. S.G. AHMED, G.J. BRENNER (Boston, MA, USA)

Serum CCL7 Is a Novel Prognostic Biomarker of Metastatic Colorectal Cancer. H. CHIDIMATSU, R. TSUNEDOMI, Y. NAKAGAMI, M. XU, M. NAKAJIMA, C. NAKASHIMA-NAKASUGA, S. TOMOCHIKA, S. YOSHIDA, N. SUZUKI, Y. WATANABE, H. MATSUI, Y. SHINDO, Y. TOKUMITSU, M. IIDA, S. TAKEDA, T. IOKA, T. UENO, T. TANABE, Y. HOSHII, S. HAZAMA, H. NAGANO (Yamaguchi; Okayama, Japan)

Measurable Residual Disease Assessment Using Next-Generation Flow in Patients With Relapsed and Refractory Multiple Myeloma Treated With a Combination of Carfilzomib, Lenalidomide, and Dexamethasone. T. YOROIDAKA, T. YAMASHITA, R. MURATA, K. YOSHIHARA, S. YOSHIHARA, M. UEDA, S. NAKAO, K. MATSUE, H. TAKAMATSU (Ishikawa; Hyogo; Chiba, Japan)

Integrin Expression in Localized Prostate Cancer: A TCGA and MSKCC Cohort-based Exploratory In Silico Analysis. M. NEUBERGER, L. FREY, K. NITSCHKE, F. WESSELS, N. WESTHOFF, F. WALDBILLIG, M. NIENTIEDT, F. HARTUNG, J. VON HARDENBERG, M.S. MICHEL, P. ERBEN, P. NUHN, T.S. WORST (Mannheim; Mainz, Germany)

Recombinant Oral Methioninase (o-rMETase) Combined With Oxaliplatin Plus 5-Fluorouracil Improves Survival of Mice With Massive Colon-Cancer Peritoneal Carcinomatosis. M.J. KIM, Q. HAN, M. BOUVET, R.M. HOFFMAN, J.H. PARK (Seoul, Republic of Korea; San Diego, CA, USA)


Histological Risk Factors for Local Recurrence of Phyllodes Tumors of the Breast. C. MIMOUN, L. LEGAY, H. LORPHELIN, A.S. LEVEAU-VALLIER, F. CORNELIS, C. MIQUEL, E. MARCHAND, M. MEZZADRI, L. TEIXEIRA, L. CAHEN-DOIDY, C. HUCHON (Paris, France)

The Prognostic Value of Plasma Small Extracellular Vesicles' Phenotype in Patients With Gastrointestinal Stromal Tumor. C.M. BRINCH, E. HOGDALL, P. DE HEER, L. PENNINGA, R. BÆK, M.M. JORGENSEN, B.E. ENGELMANN, P.B. ROSSEN, H.J. MORTENSEN, A. KRARUP-HANSEN, N. AGGERHOLM-PEDERSEN (Herlev; Copenhagen; Aalborg; Aarhus, Denmark)

Disparities in Time to Treatment for Breast Cancer. K. SUKNIAM, A.A. KASBI, M.A. ASHARY, K. POPP, K. ATTWOOD, A. GEORGE, E. GABRIEL (Suwanee, GA; Jacksonville, FL; Buffalo, NY, USA)

PTX Treatment of Colon Cancer: Mode of Action Based on Tumor Marker and Cytokine Kinetics. A. MEIROVITZ, L. BAIDER, T. PERETZ, S. STEPHANOS, V. BARAK (Jerusalem, Israel; Ulm, Germany)

Analysis of Clinical Factors in Olaparib-related Anemia Using Adverse Drug Event Reporting Databases. C. SHIRAIISHI, T. HIRAI, T. OGURA, T. IWAMOTO (Tsu, Japan)



Published by the International Institute of Anticancer Research

Online ISSN: 1790-6245

## General Policy

### ● CANCER GENOMICS & PROTEOMICS

(CGP) welcomes submissions of original high quality articles and reviews on all aspects of the application of genomic and proteomic technologies to experimental and clinical cancer research. The journal's scientific spectrum includes: (a) molecular causes of carcinogenesis, cancer progression and metastasis; (b) structural and functional aspects of genes in the cancer cell; (c) advances in genomic and proteomic technologies applicable to cancer research; (d) anticancer drug design and drug development. A main aim of CGP is to ensure the prompt and confidential review, and rapid publication of original works and reviews, generally within 1-3 months from submission.

● CGP is published bimonthly by the **International Institute of Anticancer Research (IIAR)** and is available online only and open access with **Stanford University HighWire Press**. For more information please visit our website <https://cgp.iiarjournals.org/>

● **Editorial Office:** International Institute of Anticancer Research, 1st km Kapandritiou-Kalamou Rd., P.O. Box 22, Kapandriti, Attiki 19014, Greece. Tel: +30 22950 52945, Fax: +30 22950 53389.

**U.S. Branch:** Anticancer Research Inc., USA, 111 Bay Avenue, Highlands, NJ, USA.

● **E-mail:** [journals@iiar-anticancer.org](mailto:journals@iiar-anticancer.org); IIAR WEBSITES: [www.iiar-anticancer.org](http://www.iiar-anticancer.org) and [www.iiarjournals.org](http://www.iiarjournals.org)

## ● Selection of Recent Articles

Translational Research for Identifying Potential Early-stage Prostate Cancer Biomarkers. N. NAKAMURA, P. ROGERS, R. EGGERTSON, S.R. POST, R. DAVIS (*Jefferson; Little Rock, AR, USA*)

Evaluating the Impacts of CYP3A4\*1B and CYP3A5\*3 Variations on Pharmacokinetic Behavior and Clinical Outcomes in Multiple Myeloma Patients With Autologous Stem Cell Transplant. J. LI, Y.K. CHO, D.W. SBOROV, M.A. PHELPS, C.C. HOFMEISTER, M.J. POI (*Columbus, OH; Salt Lake City, UT; Atlanta, GA, USA*)

Rab27b, a Regulator of Exosome Secretion, Is Associated With Peritoneal Metastases in Gastric Cancer. S. NAMBARA, T. MASUDA, K. HIROSE, Q. HU, T. TOBO, Y. OZATO, J. KURASHIGE, Y. HIRAKI, Y. HISAMATSU, T. IGUCHI, K. SUGIMACHI, E. OKI, T. YOSHIZUMI, K. MIMORI (*Beppu; Fukuoka; Kumamoto, Japan*)

Concurrent Reduced Expression of Contiguous PKD1, TSC2 and NTHL1 Leading to Kidney Diseases and Multiple Diverse Renal Cancers. S. MEGURO, K. TOMOYUKI, Y. HAKOZAKI, A. ONAGI, K. MATSUOKA, S. HOSHI, J. HATA, Y. SATO, H. AKAIHATA, M. KATAOKA, S. OGAWA, Y. KOJIMA (*Fukushima, Japan*)

Neoplasia-associated Chromosome Translocations Resulting in Gene Truncation. I. PANAGOPOULOS, S. HEIM (*Oslo, Norway*)

Novel TPR::ROS1 Fusion Gene Activates MAPK, PI3K and JAK/STAT Signaling in an Infant-type Pediatric Glioma. L. DELAND, S. KEANE, T.O. BONTELL, H. FAGMAN, H. SJÖGREN, A.E. LIND, H. CARÉN, M. TISELL, J.A. NILSSON, K. EJESKÄR, M. SABEL, F. ABEL (*Gothenburg; Skövde, Sweden*)

Mapping Proteome Changes in Microsatellite Stable, Recurrent Colon Cancer Reveals a Significant Immune System Signature. M. BERLE, K.E. HESTETUN, H. VETHE, S. CHERA, J.A. PAULO, O. DAHL, M.P. MYKLEBUST (*Bergen, Norway; Geneva, Switzerland; Boston, MA, USA*)

Expression of DNA Mismatch Repair Proteins, PD1 and PDL1 in Barrett's Neoplasia. J.J. SALLER, L.B. MORA, A. NASIR, Z. MAYER, M. SHAHID, D. COPPOLA (*Tampa; Bradenton; Gainesville, FL, USA*)

Biomarker Expression Profiling in Cervix Carcinoma Biopsies Unravels WT1 as a Target of Artesunate. M.E.M. SAEED, C. CIVES-LOSADA, T. EFFERTH (*Mainz, Germany; Salamanca, Spain*)

Mutational Signatures Associate With Survival in Gastrointestinal Carcinomas. P. KARIHTALA, K. PORVARI, O. KILPIVAARA (*Helsinki; Oulu, Finland*)

Long Non-coding RNAs With In Vitro and In Vivo Efficacy in Preclinical Models of Esophageal Squamous Cell Carcinoma Which Act by a Non-microRNA Sponging Mechanism. U.H. WEIDLE, F. BIRZELE (*Penzberg, Germany; Basel, Switzerland*)

Palmitoylation of the Alternative Amino Terminus of the BTK-C Isoform Controls Subcellular Distribution and Signaling. M. KOKABEE, X. WANG, E. VOORAND, E. ALIN, L. KOKABEE, F. KHAN, S. DESROSIERS, D.S. CONKLIN (*Rensselaer, NY, USA*)


Requirement of CLIC4 Expression in Human Colorectal Cancer Cells for Sensitivity to Growth Inhibition by Fucoxanthinol. R. YOKOYAMA, A. KUSHIBIKI, S. YAMADA, A. KUBOTA, H. KOJIMA, T. OHTA, J. HAMADA, H. MAEDA, M. MUTOH, M. TERASAKI (*Hokkaido; Aomori; Kyoto, Japan*)

The Contribution of PDCD6 Polymorphisms to Oral Cancer Risk. L.-C. SHIH, J.-L. HE, W.-S. CHANG, C.-L. HSU, T.-C. HSIA, Y.-C. WANG, J.-S. YANG, M.-C. MONG, C.-W. TSAI, D.-T. BAU (*Taichung, Taiwan, ROC*)

# CANCER DIAGNOSIS & PROGNOSIS

ISSN: 2732-7787

Volume 3, Number 1, January-February 2023



Published by the International Institute of Anticancer Research

Online ISSN: 2732-7787

## General Policy

### ● CANCER DIAGNOSIS & PROGNOSIS

(CDP) is an international online open-access bimonthly journal designed to bring together original high quality works and reviews on experimental and clinical research advancing knowledge on the diagnosis and prognosis of all types of human cancer, leukemia and metastasis. CDP is aiming at improving prompt disease management and quality of life of cancer patients through a precise early diagnosis and prognosis. CDP provides for the prompt online publication of accepted articles within 1-2 months from final acceptance.

- CDP is published bimonthly by the **International Institute of Anticancer Research (IIAR)**. For more information please visit our website [www.cancerdiagnosisprognosis.org](http://www.cancerdiagnosisprognosis.org)

- **Editorial Office:** International Institute of Anticancer Research, 1st km Kapandritiou-Kalamou Rd., P.O. Box 22, Kapandriti, Attiki 19014, Greece. Tel: +30 22950 52945, Fax: +30 22950 53389.

**U.S. Branch:** Anticancer Research Inc., USA, 111 Bay Avenue, Highlands, NJ, USA.

- **E-mail:** [journals@iiar-anticancer.org](mailto:journals@iiar-anticancer.org); IIAR WEBSITES: [www.iiar-anticancer.org](http://www.iiar-anticancer.org) and [www.iiarjournals.org](http://www.iiarjournals.org)

## ● Selection of Recent Articles

KIFC1: A Reliable Prognostic Biomarker in Rb-positive Triple-negative Breast Cancer Patients Treated With Doxorubicin in Combination With Abemaciclib. B. FLEISHER, C. WERKMAN, B. JACOBS, J. VARKEY, K. TAHA, S. AIT-OUHDIA (*Orlando, FL; Kenilworth, NJ, USA*)

The Effects of Vonoprazan Fumarate on the Tacrolimus Blood Concentration in Liver Transplant Recipients. M. HIDAKA, A. SOYAMA, J. HASHIZUME, T. HARA, N. MATSUNAGA, H. MATSUSHIMA, T. TANAKA, T. HAMADA, H. IMAMURA, T. ADACHI, K. KANETAKA, K. OHYAMA, S. EGUCHI (*Nagasaki, Japan*)

Endometrial Cancer Incidence in Patients With Atypical Endometrial Hyperplasia According to Mode of Management. A. BARAKAT, A. ISMAIL, S. CHATTOPADHYAY, Q. DAVIES (*Leicester, UK*)

Testicular Plasmacytoma Masking as Epididymo-orchitis in a Known Multiple Myeloma Patient. U.T. VUSQA, P. ASAWA, S. FAZAL, Y. SAMHOURI (*Pittsburgh, PA, USA*)

An Analysis of the Impact of COVID-19 Pandemic-related Lockdown Measures on a Large Gastrointestinal Pathology Service in the United States. A. NASIR, B. HOUGH, C. BAFFA, A. KHAZANCHI, D. COPPOLA (*Bradenton, FL, USA*)

High SLC20A1 Expression Is Associated With Poor Prognosis for Radiotherapy of Estrogen Receptor-positive Breast Cancer. C. ONAGA, S. TAMORI, I. MATSUOKA, A. OZAKI, H. MOTOMURA, Y. NAGASHIMA, T. SATO, K. SATO, K. TAHATA, Y. XIONG, Y. NAKANO, Y. MANO, S. MIYAZAKI, K. SASAKI, S. OHNO, K. AKIMOTO (*Chiba; Tokyo, Japan*)

Validation of the Optimum Timing of Assessment of Tumor Infiltrating Lymphocytes During Preoperative Chemotherapy for Breast Cancer. S. KASHIWAGI, Y. ASANO, K. TAKADA, W. GOTO, R. KOUHASHI, A. YABUMOTO, Y. TAUCHI, T. MORISAKI, K. OGISAWA, M. SHIBUTANI, H. TANAKA, M. OHIRA (*Osaka, Japan*)

CD103+ T Cells May Be a Useful Biomarker in Borrmann Type 4 Gastric Cancer. T. MORI, H. TANAKA, S. DEGUCHI, Y. MIKI, M. YOSHII, T. TAMURA, T. TOYOKAWA, S. LEE, K. MUGURUMA, M. OHIRA (*Osaka, Japan*)

Appropriate Patient Status for Ra-223 Treatment in the Treatment Sequence for Castration-resistant Prostate Cancer. H. ITO, H. YAEGASHI, Y. OKADA, T. SHIMADA, T. YAMAOKA, K. OKUBO, T. SAKAMOTO, A. MIZOKAMI (*Kyoto; Kanazawa, Japan*)

Real-time IR700 Fluorescence Imaging During Near-infrared Photoimmunotherapy Using a Clinically-approved Camera for Indocyanine Green. S. OKUYAMA, D. FUJIMURA, F. INAGAKI, R. OKADA, Y. MARUOKA, H. WAKIYAMA, T. KATO, A. FURUSAWA, P.L. CHOYKE, H. KOBAYASHI (*Kyoto, Japan; Bethesda, MD, USA*)

Cannabidiol May Prolong Survival in Patients With Glioblastoma Multiforme. R. LIKAR, M. KOESTENBERGER, M. STUTSCHNIG, G. NAHLER (*Klagenfurt am Wörthersee; Graz; Vienna, Austria*)

Stereotactic Body Radiation Therapy Boost in Patients With Cervical Cancer Ineligible for Brachytherapy. G. FACONDO, G. VULLO, V. DE SANCTIS, M. VALERIANI, A.M. ASCOLESE, M. MASSARO, D. ANZELLINI, M.F. OSTI (*Rome, Italy*)

The Systemic Immune Markers at Diagnosis Can Predict the Survival Benefit in Advanced Breast Cancer. S. NAKAMOTO, M. IKEDA, S. KUBO, M. YAMAMOTO, T. YAMASHITA, C. KUWAHARA (*Hiroshima, Japan*)