

Editorial Board

I. ABRAHAM	The HOPE Center, University of Arizona, Tucson, AZ, USA
D. ANDERSON	Department of Biomedical Sciences, University of Bradford, Bradford, West Yorkshire, UK
V. BARAK	Department of Oncology, Hadassah University Hospital, Jerusalem, Israel
M.H. BARCELLOS-HOFF	Department of Radiation Oncology, New York University School of Medicine, New York, NY, USA
K. BEIER	Department of Histology, University of Basel, Basel, Switzerland
M. BERGQVIST	Department of Oncology, Radiology and Clinical Immunology, University Hospital, Uppsala, Sweden
R. BJERKVIG	Norlux Neuro-Oncology, Department of Biomedicine, University of Bergen, Bergen, Norway
W.B.F. BOWNE	Section of Surgical Oncology, Sidney Kimmel Medical College, Philadelphia, PA, USA
M. CARAGLIA	Department of Experimental Oncology, National Institute of Tumours Fondazione G. Pascale, Naples, Italy
P. CHANDRA	Department of Molecular Biology, Frankfurt University, Frankfurt am Main, Germany
J.-G. CHUNG	Department of Medicine, China Medical College, Taichung, Taiwan, ROC
L.A. COHEN	Northampton, MA, USA
A.I. CONSTANTINOU	Department of Biological Sciences, University of Cyprus, Nicosia, Cyprus
T. DALIANIS	Department of Pathology-Oncology, Karolinska Institute, Stockholm, Sweden
D.T. DENHARDT	Division of Life Sciences, Rutgers University, Bridgewater, NJ, USA
E.P. DIAMANDIS	Department of Pathology and Laboratory Medicine, University of Toronto, Toronto, Ontario, Canada
T. EFFERTH	Department of Pharmaceutical Biology, Institute of Pharmacy and Biochemistry, University of Mainz, Mainz, Germany
W. ENGSTRÖM	Department of Molecular Biosciences, Swedish University of Agricultural Sciences, Uppsala, Sweden
M. ESKELINEN	Department of Surgery, University Hospital of Kuopio, Kuopio, Finland
G. FIORENTINI	UOC Oncologia, Azienda Ospedaliera Marche Nord, Pesaro, Italy
P.B. FISHER	Virginia Commonwealth University, School of Medicine, Richmond, VA, USA
M. FRIEDRICH	Department of Obstetrics and Gynecology, Klinikum Krefeld, Krefeld, Germany
R.E. FRIEDRICH	Department of Oral and Maxillofacial Surgery, Eppendorf University Hospital, Hamburg, Germany
R. GANAPATHI	Levine Cancer Institute, Carolinas HealthCare System, Charlotte, NC, USA
V. GORGOLIS	Department of Histology-Embryology, Medical School, University of Athens, Athens, Greece
J.S. GREENBERGER	Department of Radiation Oncology, University of Pittsburgh, Pittsburgh, PA, USA
J.W. GREINER	National Cancer Institute, NIH, Bethesda, MD, USA
C.J. GRUBBS	Department of Nutrition Sciences, University of Alabama, Birmingham, AL, USA
F. GUADAGNI	IRCCS San Raffaele, Rome, Italy
J. HAU	Department of Comparative Medicine, University of Copenhagen, Copenhagen, Denmark
M. HAUER-JENSEN	Arkansas Cancer Research Center, University of Arkansas Medical Sciences, Little Rock, AR, USA
M. JHANWAR-UNIYAL	Department of Neurosurgery, New York Medical College, Valhalla, NY, USA
I. KISS	Institute of Preventive Medicine, Medical School, University of Pécs, Pécs, Hungary
M. KOUTSILIERIS	Department of Experimental Physiology, University of Athens Medical School, Athens, Greece
G.R.F. KRUEGER	Department of Anatomy II, Center for Anatomy, The University of Cologne Medical School, Cologne, Germany
G. LANDBERG	Department of Laboratory Medicine, Lund University, Lund, Sweden
J. LEROY	IRCAD, University of Strasbourg, Strasbourg, France
W. LICHTENEGGER	Charité Campus Virchow-Klinikum, Berlin, Germany
J. LYKKESFELDT	Department of Veterinary Disease Biology, University of Copenhagen, Frederiksberg, Denmark
H. MAEDA	BioDynamics Research Foundation, Kumamoto, Japan
M. MAREEL	Laboratory of Experimental Cancerology, State University, Ghent, Belgium

L. MARGOLIS	Eunice Kennedy Shriver National Institute of Child Health and Human Development, Bethesda, MD, USA
G. MARTORANA	Polclinico S. Orsola Malpighi, University of Bologna, Bologna, Italy
J. MOLNÁR	Department of Medical Microbiology and Immunobiology, Faculty of Medicine, University of Szeged, Szeged, Hungary
S.L. MOOBERRY	Cancer Therapy & Research Center, University of Texas Health Science Center at San Antonio, San Antonio, TX, USA
N. MOTOHASHI	Department of Medicinal Chemistry, Meiji Pharmaceutical University, Tokyo, Japan
R.M. NAGLER	Department of Oral and Maxillofacial Surgery, Rambam Medical Center, Haifa, Israel
S. NAKANO	Graduate School of Health and Nutritional Sciences, Nakamura Gakuen University, Fukuoka, Japan
M. NAKASHIMA	Department of Tumor and Diagnostic Pathology, Atomic Bomb Disease Institute, Nagasaki University, Nagasaki, Japan
M.B. NICHOLL	South Texas Veterans Health Care System, San Antonio, TX, USA
K. NILSSON	Tumor Biology Laboratory, Department of Pathology, University Hospital, Uppsala, Sweden
M. PAGÉ	Département de Biologie, Division de Biochimie, Université Laval, Québec, Canada
C. POLYCHRONAKOS	Department of Paediatrics and Human Genetics, McGill University Health Centre Research Institute, Montreal, QC, Canada
M.-F. POUPON	Institut Curie, Section de Recherche, Paris, France
D. RADES	Department of Radiation Oncology, University of Lübeck, Lübeck, Germany
F.M. ROBERTSON	Virginia Commonwealth University, Clinical Research Services, Center for Clinical and Translational Research, Richmond Academy of Medicine, Richmond, VA, USA
C.A. RUBIO	Karolinska Institute, Pathology Research Laboratory, Stockholm, Sweden
G.R. RUTTEMAN	Department of Clinical Sciences of Companion Animals, University of Utrecht, Utrecht, The Netherlands
H. SAKAGAMI	Department of Dental Pharmacology, Meikai University School of Dentistry, Saitama, Japan
G. SAVA	Institutes of Biological Research, Fondazione Callierio-Onlus, Trieste, Italy
L.D. SHULTZ	The Jackson Laboratory, Bar Harbor, ME, USA
G. SICA	Istituto di Istologia ed Embriologia, Università Cattolica del Sacro Cuore, Roma, Italy
J.M. SIEGFRIED	Department of Pharmacology, MNPI Center, University of Minnesota, Minneapolis, MN, USA
J. SLANSKY	Integrated Department of Immunology, School of Medicine, University of Colorado Denver and National Jewish Health, Denver, CO, USA
R.M. SNAPKA	Department of Radiology, The Ohio State University, Columbus, OH, USA
G.-I. SOMA	Department of Integrated and Holistic Immunology, Faculty of Medicine, Kagawa University, Kagawa, Japan
P.P. SORDILLO	Department of Medical Oncology and Hematology, Lenox Hill Hospital, New York, NY, USA
T.A. SPRINGER	Department of Pathology, Harvard Medical School, Boston, MA, USA
D.D. SPYROPOULOS	Department of Pathology and Laboratory Medicine, Medical University of South Carolina, Charleston, SC, USA
K. SYRJÄNEN	Biohit Healthcare Oyj, Helsinki, Finland
B. TRIBUKAIT	Department of Medical Radiobiology, Karolinska Hospital, Stockholm, Sweden
J. VADGAMA	Department of Internal Medicine, Charles E. Drew University of Medicine and Science, Los Angeles, CA, USA
I.I. VERGINADIS	Department of Radiation Oncology, Smilow Center for Translational Research, University of Pennsylvania Perelman School of Medicine, Philadelphia, PA, USA

E. VIRGILIO	Department of Medicine and Surgery, University Hospital of Parma, Parma, Italy
J.K. VISHWANATHA	Graduate School of Biomedical Sciences, University of North Texas Health Science Center, Fort Worth, TX, USA
W. WANG	Research Institute of Healthcare Science, University of Wolverhampton, Wolverhampton, UK
W. WEBER	Clinical Cancer Etiology Unit, Basel, Switzerland
L.M. WEINER	Lombardi Comprehensive Cancer Center, Georgetown University Medical Center, Washington, DC, USA
J.A. WERNER	Department of Otolaryngology, Head and Neck Surgery, Marburg, Germany
S. YLÄ-HERTTUALA	Department of Molecular Medicine, A.I. Virtanen Institute, University of Kuopio, Kuopio, Finland
H. YOSHIDA	Department of Pathology, Kagoshima University, Kagoshima, Japan